AMENDMENTS

In the claims

Please amend the claims as follows.

1. (Currently Amended) A synthetic hydrotalcite of the general formula:

$$[M^{2+}_{1-x}M^{3+}_{x}(OH)_{2}]^{x+}[A^{n-}_{x/n}\cdot mH_{2}O]^{x-}$$

wherein M²⁺ is a divalent cation, M³⁺ is a trivalent cation and Aⁿ⁻ is at least one organic anion comprising a carboxylate of an <u>amino-acid containing at least one heteroatom selected</u>

from the group consisting of nitrogen, phosphorous, sulfur and halogens.

- 2. (Original) The synthetic hydrotalcite of claim 1, wherein said divalent cation source, M²⁺ consists essentially of Mg²⁺.
- 3. (Original) The synthetic hydrotalcite of claim 1, wherein said trivalent cation source, M³⁺ consists essentially of Al³⁺.
- 4. (Canceled).
- 5. (Currently amended) The synthetic hydrotalcite of claim 1 4, wherein said amino acid comprises 4-aminobutyric acid.
- 6. (Currently amended) The synthetic hydrotalcite of claim 1 4 wherein said amino acid comprises 6-aminocaproic acid.

- 7. (Original) The synthetic hydrotalcite of claim 1, wherein said hydrotalcite is capable of self exfoliation.
- 8. (Original) The synthetic hydrotalcite of claim 7, wherein said hydrotalcite is capable of reversible exfoliation.
- 9. (Original) The synthetic hydrotalcite of claim 1, wherein said hydrotalcite is capable of reversible exfoliation.
- 10. (Original) The synthetic hydrotalcite of claim 1, wherein said divalent cation, M^{2+} comprises Mg^{2+} and up to 50% of at least one divalent cation selected from Ni^{2+} , Co^{2+} , Zn^{2+} , Cu^{2+} and Mn^{2+} .
- 11. (Currently amended) The synthetic hydrotalcite of claim 1, wherein said trivalent cation, M^{3+} comprises a mixture of A1³⁺ and up to 50% of at least one trivalent cation selected from A1³⁺, Cr^{3+} , and Fe³⁺.
- 12 32 [Canceled]
- 33. (Currently amended) A synthetic hydrotalcite-poly-addition polymer blend comprising:
 at least one poly-addition polymer; and
 a synthetic hydrotalcite of the general formula:

$$[M^{2+}_{1-x}M^{3+}_{x}(OH)_{2}]^{x+}[A^{n-}_{x/n}\cdot mH_{2}O]^{x-}$$

wherein M²⁺ is a divalent cation, M³⁺ is a trivalent cation and Aⁿ⁻ is at least one organic anion comprising a carboxylate of an <u>amino-acid containing at least one heteroatom selected</u>

from the group consisting of nitrogen, phosphorous, sulfur and halogens.

- 34. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said divalent cation, M²⁺ consists essentially of Mg²⁺.
- 35. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said trivalent cation, M³⁺ consists essentially of A1³⁺.
- 36. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said at least one poly-addition polymer is selected from the group consisting of polypropylene, polyethylene, polybutene-1, poly-4-methyl pentene-1, polyvinyl chloride and polystyrene.
- 37. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said at least one poly-addition polymer comprises a maleated polyolefin.
- 38. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 37, wherein said maleated polyolefin comprises maleated polypropylene.
- 39. (Canceled)
- 40. (Currently amended) The synthetic hydrotalcite-poly-addition polymer blend of claim 33 39,

wherein said amino acid comprises 4-aminobtyric acid.

- 41. (Currently amended) The synthetic hydrotalcite-poly-addition polymer blend of claim <u>33</u> 39, wherein said amino acid comprises 6-aminocaproic acid.
- 42. (Currently amended) The synthetic hydrotalcite-poly-addition polymer blend of claim <u>33</u> 39, wherein said at least one polymer comprises a maleated polyolefin.
- 43. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 42, wherein said maleated polyolefin bonds with said amino acid in the form of an amide.
- 44. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 42, wherein said maleated polyolefin bonds with said amino acid in the form of an imide.
- 45. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said hydrotalcite is capable of self exfoliation.
- 46. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 45, wherein said hydrotalcite is capable of reversible exfoliation.
- 47. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said hydrotalcite is capable of reversible exfoliation.

48. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said divalent cation, M^{2+} contains Mg^{2+} and up to 50% of at least one divalent cation selected from Ni^{2+} , Co^{2+} , Zn^{2+} , Cu^{2+} and Mn^{2+} .

49. (Original) The synthetic hydrotalcite-poly-addition polymer blend of claim 33, wherein said trivalent cation, M^{3+} contains $A1^{3+}$ and up to 50% of at least one trivalent cation selected from Cr^{3+} and Fe^{3+} .

50 - 70 (Canceled)